

User Guide



La Couverture
for Airport Dollies
Light version

Rev. 0

Date 01/11/2025

You received the product already folded inside one (1) fibreboard box.

After each use, the thermal protection must be cleaned and properly folded before returning each part to the warehouse.

Please do not fold the product while it is wet, to avoid mold formation.

Open cover



Airport Dolly



Final Result



IMPORTANT INFORMATIONS TO KNOW BEFORE USE OF THE PRODUCT



PLEASE KEEP IN MIND THAT LA COUVERTURE LIGHT MUST BE PLACED OVER THE AIRPORT DOLLY!

- a) It is suggested to carry out all the operations with 2 persons
- b) Do not use cutters, scissors, or other sharp tools in the operation, this can damage the product
- c) Never place heavy weights on the **layers** or walk over it or drive with vehicles over the top layer, it can be damaged irreversibly.



DO NOT EXPOSE TO FIRE OR HEAT SOURCES. THE COVER WAS DESIGNED TO PROTECT FROM SUN LIGHT NOT FIREPROOF

- d) The base of the cover must not exceed the base of the dolly.to prevent the product to get stuck in the dollies wheels.
- e) Store the hybrid solution always in the warehouse, do not expose to dust or dirt.
- f) If the cover gets wet, dry it before folding it and placing it back in the bag
- g) In case of need scan the QR code on the label sewed on both sides of the product and follow the folding instructions.
- h)



For eventual damages and further information please contact us at:

Email: support@lacouverture.aero or info@lacouverture.aero

Ph. +39 06 65990808 or mob (also WhatsApp) +39 331 781 4395

La Couverture®

is a brand of

MdG Srl

Via Francesco Borromini 28 – 00054 Fiumicino (Rome), Italy